

Precautionary Home Isolation *Guidance for COVID-19*

The following information is designed to guide you and your household members if you have been advised to undertake Precautionary Home-Isolation following travel to an affected location or exposure to someone diagnosed with COVID-19.

نحن نهتم
We Care

مرکز جونز هوبكنز
أرامكو الطبي
Johns Hopkins
Aramco Healthcare

Advice for all Household Members

Make sure that shared spaces in the home have good air flow, such as air-conditioners or open windows.

All household members should practice the highest standards of hand and respiratory hygiene

Frequently wash hands thoroughly with soap and water, or use an alcohol-based hand sanitizer if soap and water are not available and if your hands are not visibly dirty. Avoid touching your eyes, nose and mouth with unwashed hands.



Other household members should be separated from the individual on home-isolation as much as possible. They should not sleep in the same room, and they should use a separate bathroom, if possible.

Be particularly vigilant to keep elderly people and those who have compromised immune systems or specific health conditions away from the individual on home-isolation. This includes people with chronic heart, lung or kidney diseases or diabetes.

Avoid sharing household items

Do not share dishes, drinking glasses, cups, eating utensils or other items with the individual on home-isolation.



Dishes



Drinking glasses



Cups



Eating utensils

After the individual on home-isolation uses these items, they should be washed thoroughly with soap and hot water.

Clean “high-touch” surfaces, such as counters, tabletops, keyboards, doorknobs, bathroom fixtures, toilets and bedside tables daily. Wear disposable gloves while cleaning surfaces.

To make a bleach solution at home:



Wash laundry thoroughly

- Promptly remove and wash clothes or bedding that have become soiled.
- Wear disposable gloves while handling soiled items. Wash your hands after removing your gloves.
- Wash laundry with detergent and warm water at the maximum available cycle length, then machine dry.



Guidance for the Individual on Home-Isolation

The individual on home-isolation will need support in matters such as running errands, e.g., grocery shopping or picking up prescriptions, in order to avoid exposing others to infection.

Using face masks, if you must be around other people who have not been exposed to the virus, in your home, or in a car, because you're on your way to see a doctor (only after you have called ahead first) — you should wear a mask.

Self-surveillance consists of monitoring and recording your temperature and any potential symptoms of COVID-19 for 14 days from the date of departure from a location on the list of affected countries or coming into contact with someone with a confirmed COVID-19 diagnosis.

Daily Self-Surveillance Checklist

- Temperature of ≥ 37.8 °C (morning and night)
- Cough (new or worsening) Y/N
- Sore throat Y/N
- Shortness of breath Y/N

Wait at least six hours after taking medicines that can lower your temperature



If symptoms develop during the home-isolation period:

Call ahead before visiting your doctor

Talk to your registered health care provider, so precautions can be taken to protect others.

For JHAH-registered patients, please call the **JHAH Nurse Care Line** to speak to an experienced healthcare professional phone:

800-305-4444, option 3. Or, for MDF registered and others, please call your health care provider or the Ministry of Health (937).

Outside of clinic hours please go to the Emergency Department.

Stay informed

The JHAH.com COVID-19 webpage provides Arabic and English health education and awareness material, as well as links to trusted third parties such as the World health Organization.

You can visit JHAH.com for COVID-19 updates and health education material



Connect with JHAH...



Johns Hopkins Aramco
Healthcare (JHAH) Page



Johns Hopkins Aramco
Healthcare (JHAH) Page



@JHAHNews



@JHAHNews



Johns Hopkins Aramco
Healthcare (JHAH) Page